

Fig. 1a




Fig. 1b




Fig. 1c




Fig. 1d




Fig. 1e




Fig. 1f




Fig. 1g




Fig. 2a




Fig. 2b

10/25




Fig. 3




Fig. 4a




Fig. 4b






Fig. 4c




Atorvastatin




Lovastatin

Fig. 5a




Pravastatin Sodium




Fluvastatin

Fig. 5b



Mevastatin



Simvastatin

Fig. 5c




Fig. 6




Fig. 7




Fig. 8




Fig. 9a

## Statin treatment



## CD40L staining

Fig. 9b





Fig. 9c

23/25

Day 10 after Tx



Day 14 after Tx





Fig. 10

24/25

Day 6 after onset of arthritis



Day 12 after onset of arthritis




Fig. 11

|                  | [ <sup>3</sup> H] Thymidine<br>incorporation [cpm] | IFN- $\gamma$<br>production [pg/ml] |
|------------------|--|-------------------------------------|
| <b>Control</b>   | 13,830 ( $\pm$ 7,078)                              | 60,112 ( $\pm$ 13,532)              |
| <b>Low dose</b>  | 6,508 ( $\pm$ 6,499) *                             | 36,368 ( $\pm$ 8,005) *             |
| <b>High dose</b> | 5,221 ( $\pm$ 7,632) *                             | 29,805 ( $\pm$ 8,114) *             |

Fig. 12